



Canada Wood
加拿大木业协会




Opportunity for Wood Curtain Walls in Chinese Construction

March 31, 2005

Written by:

Eric Zhang, Canada Wood
Jim Mehaffey, Forintek Canada
Wayne Iversen, COFI



Canada Wood
Produits de bois canadien



Opportunity for Wood Curtain Walls in Chinese Construction
March 31, 2005

TABLE OF CONTENTS

	Page No.
EXECUTIVE SUMMARY	1
CHAPTER I: Cost Comparison: Wood in-fill versus concrete block and light gauge steel	3
1.0 Objective	3
2.0 Partition wall in-fill materials in China	3
2.1 Background	3
2.2 Characteristics	3
2.3 Construction practices and materials	4
2.3.1 Primary construction	4
2.3.2 Finishing	5
2.3.3 Material analysis	5
3.0 Cost Comparison	7
3.1 Information collecting methods	7
3.2 Relevant factors in comparison	7
3.2.1. Use regular material combination	7
3.2.2 Factors that affect cost	7
3.2.3 Other relevant factors	8
4.0 Analysis of Data	11
5.0 Cost Analysis	12
6.0 Comparison Analysis	13
7.0 Conclusions	15
8.0 Recommendations	16
8.1 Preconditions	17
8.2 Promotion plan and marketing strategies	17
8.2.1 Promotion	17
8.2.2 Marketing	18

CHAPTER 2: Fire Protection	19
9.0 Introduction	19
10.0 The Chinese Fire Code GBJ 16	19
11.0 The Nordic Wood Council Proposal	20
11.1 Fire testing of in-fill walls	22
11.2 Comparison with the Results of Fire Tests Conducted in Canada	24
11.3 Canadian requirements	27
11.4 Showcase Building	27
12.0 Conclusions	29
13.0 References	29